



EVOLUTION LINE EVO301

TYPE	Rack conveyor dishwashers
LINE	EVOLUTION LINE
BASKET	500x500
SIZE	1968x813x1615h

The EVOLUTION Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. Evolution is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.

The range (with standard installed break-tank), is equipped with integrated pre-wash to remove even the more difficult impurities, combining efficiency and reduced water consumption. Electricity and water consumption adapts to the productivity required to constantly optimise costs as needed. The double flow wash pump ensures great pressure even against stubborn dirt, while the pre-wash deals with larger residues, gathering them into a drawer filter that is easy to empty. The drying area uses the low temperature air to gently treat even the most sensitive dishes. The 450 mm useful opening allows the introduction of a wide range of dishes, dough trays, baking trays pots and various utensils.

DISHWASHERS FEATURES	EVOLUTION LINE EVO301
Dimensions - (mm) L - P - H	1968x813x1615h
Basket dimensions	500x500
n° baskets/hour	200/100
Passage height max (cm)	450
Total power input	23,2 (55°C) 32,7 (15°C)*
Standard input voltage	400V3N+T 50 Hz
PRE-WASHING	
Tank capacity	69
Tank heating element (kW)	10,5
FIRST WASHING	
Tank capacity	69
Tank heating element (kW)	10,5
WASHING	
Tank capacity	69
Tank heating element (kW)	10,5
PRE-RINSING	
Tank capacity	69
RINSING	
Boiler heating element (kW)	9,5
Water consumption	-300
Inlet water temperature (°C)	+55°C
Minimum water pressure (BAR)	1,5
Water hardness (°f)	7÷10 °f
STANDARD EQUIPMENT	
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
4 division cutlery insert	1
OPTION	
Pressure reducer with pressure gauge	●
Break-Tank and 200W rinse pump	●
Third speed	●
Corner pre-washing system	●
Corner dryer unit	●
Option extra power 9,5 Kw	●
Heat recovery section	●
Steam extractor with fan	●
Vapour outlet chimney	●
Internal detergent & rinse-aid dosing unit	●
Triple tank filter and stainless steel drawer	●

● Optional Installabile, ▣ Optional not installable

EVO301

