





## EVOLUTION LINE EVO321

| TYPE   | Rack conveyor dishwashers |
|--------|---------------------------|
| LINE   | EVOLUTION LINE            |
| BASKET | 500x500                   |
| SIZE   | 2568x813x1825h            |

The EVOLUTION Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. Evolution is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.











| DISHWASHERS FEATURES                             | EVOLUTION LINE EVO321    |
|--|--------------------------|
| Dimensions - (mm) L - P - H                      | 2568x813x1825h           |
| Basket dimensions                                | 500x500                  |
| n° baskets/hour                                  | 200/100                  |
| Passage height max (cm)                          | 450                      |
| Total power input                                | 29,7 (55°C) 39,2 (15°C)* |
| Standard input voltage                           | 400V3N+T 50 Hz           |
| PRE-WASHING                                      |                          |
| Tank capacity                                    | 69                       |
| Tank heating element (kW)                        | 10,5                     |
| FIRST WASHING                                    |                          |
| Tank capacity                                    | 69                       |
| Tank heating element (kW)                        | 10,5                     |
| WASHING  |                          |
| Tank capacity                                    | 69                       |
| Tank heating element (kW)                        | 10,5                     |
| PRE-RINSING                                      |                          |
| Tank capacity                                    | 69                       |
| RINSING  |                          |
| Boiler heating element (kW)                      | 9,5                      |
| Water consumption                                | ~300                     |
| Inlet water temperature (°C)                     | +55°C                    |
| Minimum water pressure (BAR)                     | 1,5                      |
| Water hardness (°f)                              | 7÷10 °f                  |
| DRYER UNIT                                       |                          |
| ventilatore                                      | 0,55                     |
| Air capacity                                     | ~1400                    |
| resistenza                                       | 6,0                      |
| STANDARD EQUIPMENT                               |                          |
| Basket for glasses dim.500x500x100mm             | 1                        |
| Basket for 18 dishes dim.500x500x100mm           | 2                        |
| 4 division cutlery insert                        | 1                        |
| OPTION   |                          |
| Pressure reducer with pressure gauge             | •                        |
| Break-Tank and 200W rinse pump                   | •                        |
| Third speed                                      | •                        |
| Corner pre-washing system                        | •                        |
| Option extra power 9,5 Kw                        | •                        |
| Heat recovery section                            | •                        |
| Steam extractor with fan                         | •                        |
| Vapour outlet chimney                            | •                        |
| Internal detergent & rinse-aid dosing unit       | •                        |
| Triple tank filter and stainless steel drawer    | •                        |
| •  |                          |
| Optional Installabile,  Optional not installable |                          |









## EVO321







